




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : G08B 23/00	A1	(11) International Publication Number: WO 99/21148 (43) International Publication Date: 29 April 1999 (29.04.99)
(21) International Application Number: PCT/US98/22272 (22) International Filing Date: 21 October 1998 (21.10.98) (30) Priority Data: 60/062,684 22 October 1997 (22.10.97) US (71) Applicant (for all designated States except US): IDS INTELLIGENT DETECTION SYSTEMS, INC. [CA/CA]; 6th floor, 66 Slater Street, Ottawa, Ontario K1P 5H1 (CA). (72) Inventor; and (75) Inventor/Applicant (for US only): HALEY, Lawrence, V. [US/CA]; 1 Manju Street, Ottawa, Ontario K1G 4T7 (CA). (74) Agents: DiGIGLIO, Frank, S. et al.; Scully, Scott, Murphy & Presser, 400 Garden City Plaza, Garden City, NY 11530 (US).	(81) Designated States: CA, JP, US, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>	

(54) Title: AN INTEGRATED WALK-THROUGH PERSONNEL SCANNER SYSTEM FOR SECURITY PORTALS

**(57) Abstract**

An integrated walk-through system (10) for detecting concealed or suspicious objects includes a portal (12) in which a person (8) may walk through without interruption; a device (15) responsive to a person's entry into the portal for generating a trigger signal to start a detection process; one or more of a dielectric scanner device (40), an x-ray scanner device (60), a metal detector device (20), a millimeter wave camera device (50a, ... 50d), and vapor collection and analysis device (30), or a combination thereof, for performing respective detection processes in response to receipt of the trigger signal, each dielectric scanner device, x-ray scanner device, metal detector device, millimeter wave camera device, and vapor collection and analysis device generating corresponding output signals (21, 31, 41, 51a, ... 51d, 61); and, a computing device (80) for receiving the output signals from each dielectric scanner device, an x-ray scanner device, a metal detector device, a millimeter wave camera device, and vapor collection and analysis device, and generating an alarm signal (85) indicating detection of a target object carried by the person.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

AN INTEGRATED WALKTHROUGH PERSONNEL
SCANNER SYSTEM FOR SECURITY PORTALS

5 CROSS-REFERENCE TO RELATED APPLICATIONS

The following patent application is based on and claims the benefit of U.S. Provisional Patent Application Serial No. 60/062,684 filed October 22, 1997.

10

FIELD OF THE INVENTION

The present invention relates generally to walk-through scanning systems such as found in airport check-in, or other high-risk security areas, and more particularly, to a novel scanning system implementing a combination of different detection technologies, each optimized for the detection of certain types of concealed or suspicious objects or features.

15

20 BACKGROUND OF THE INVENTION

Portals for screening people carrying metallic objects or explosives exist in several forms. They, in general, are classified as walk-in systems which require that the person stand still at a designated spot for at least a few seconds while being scanned; and, walk-through systems, where the person walks through a portal, e.g., metal detection portals as seen in airports. The walk-in systems are inconvenient in that the person has to stand still at a designated spot which slows down the throughput in the system. The person additionally becomes aware of the security scan, which may not be desirable in certain circumstances. Some of the walk-in systems available in the market are: SecurScan® portal system by Thermedics Inc., MA, USA, which is used for the collection of explosive vapors, and, the Secure

25

30

35

1000® by Nicolet Imaging Systems, USA which is used for detecting concealed objects on persons using X-rays.

5 Walk-through portals exist for different types of scanning, the most popular being the metal detection portals as seen in airports. Issued U.S. Patent No. 4,987,767 designed and developed by CPAD Technologies Inc. (Nepean, Canada) describes a walk-through portal for collecting and analyzing explosive
10 vapors from concealed objects on people. Ion Track Instruments Inc. (Mass., USA) has developed the ITI 85 Scanner utilizing an air curtain principle for transporting explosives vapors onto a collector for analysis. Detection of concealed objects is done
15 using X-ray scanning in the scanner developed by Nicolet Imaging Systems, USA. The SecurScan® portal system made by Thermedics Inc. has been modified to a walk-through system with brushes for removing traces of explosives from people's clothing which are then
20 processed and analyzed using a gas chromatographic column and a chemiluminescent detector.

Each of the above described systems rely on a single method to detect concealed objects like metal or plastic guns, explosives or other suspicious
25 items. However, it would be much more desirable to provide a walk-through portal integrating more than one of the above technologies in order to create a synergistic detection system.

30 SUMMARY OF THE INVENTION

It is an object of the present invention to provide a novel walk-through screening and detection system employing an integrated multi-dimensional detection and analysis system.

It is another object of the present invention to provide a novel walk-through screening and detection system employing an integrated multi-dimensional detection and analysis system including one or more of a metal detector, a vapor analyzer, a dielectric strength scanner, a set of set of active and/or passive millimeter wave cameras, and, an X-ray scanner, or a combination thereof.

According to the principles of the invention there is provided an integrated walk-through system for detecting concealed or suspicious objects comprising: a portal in which a person may walk through without interruption; a device responsive to a person's entry into the portal for generating a trigger signal to start a detection process; one or more of a dielectric scanner device, an x-ray scanner device, a metal detector device, a millimeter wave camera device, and vapor collection and analysis device, or a combination thereof, for performing respective detection processes in response to receipt of the trigger signal, each dielectric scanner device, x-ray scanner device, metal detector device, millimeter wave camera device, and vapor collection and analysis device generating corresponding output signals; and, a computing device for receiving the output signals from each dielectric scanner device, an x-ray scanner device, a metal detector device, a millimeter wave camera device, and vapor collection and analysis device and generating a signal indicating detection of a target object carried by the person.

BRIEF DESCRIPTION OF THE DRAWINGS

Further features and advantages of the invention will become more readily apparent from a

consideration of the following detailed description set forth with reference to the accompanying drawing, which specifies a preferred embodiment of the invention, in which:

5 Figure 1 illustrates the integrated walk-through personnel scanner system of the invention .

DETAILED DESCRIPTION OF THE INVENTION

10 Figure 1 is schematic diagram depicting the main components of the integrated walkthrough personnel scanner system 10 of the invention. As shown in Figure 1, the system consists of a walk-through portal 12. Preferably, the portal may be disguised as part of an archway or corridor when it is
15 necessary to conceal the scanning process. As a person 8 walks into the portal 12 a proximity sensor 15, for example, one consisting of an infra-red transmitter 15a and detector 15b, is triggered which generates a signal to start the detection and analysis
20 processes of the various detectors in the integrated walk-through scanner system 10.

 Preferably, there are at least two different kinds of detectors providing in the integrated walk-through system. However, in the embodiment as shown
25 in Figure 1, there are five different types of detection systems including: a metal detector 20 for generating a signal 21 in proportion to the amount of metal carried by the person 8 and generates an alarm when the signal exceeds a preset threshold; a vapor
30 analyzer 30 for sampling the circulating air in the portal 12 for explosive vapor and particulate which are carried by the air stream from any concealed explosives, and generates a signal 31 if any previously calibrated explosives are present in the

-5-

sample and an alarm signal if the magnitude of the signal exceeds a preset threshold; a Dielectric Strength scanner 40 which detects abnormal changes in the dielectric constant of an object it scans and accordingly generates a signal 41 representing this change, in addition to generating an alarm if the changes are significant enough as determined by a previously set signal strength; a set of active or passive millimeter wave cameras 50a,...,50d which scan the person 8 as he/she walks through the portal 12 and generates respective images 51a,...,51d of the person from all angles, which may then be analyzed using pattern recognition techniques to yield an alarm if any suspicious pattern is discovered; and, an X-ray scanner 60 which uses low level X-ray radiation to scan the person for any suspicious concealed objects as he/she walks through the portal and creates a set of images 61 which are then analyzed using pattern recognition techniques to yield an alarm if any suspicious pattern is discovered.

The analysis of multi-state output signals 21, 31, 41, 51a,...,51d, and 61 and the decision to generate an overall alarm is carried out by computer software executing on computer system 80 with or without expert human assistance. For instance, the different outputs are processed to form a matrix comprising all possible combinations from which a final alarm determination may be made. Preferably, a neural network or AI device implementing fuzzy logic may be employed for processing the multi-state signals and generating an alarm signal 85. It should be understood that the level of security alert and the level of tolerance of false alarm rates determines the

type of analysis performed by the software and the alarm 85 to be generated.

5 The data results from the different detectors are processed in such a way as to readily arrive at conclusions about the people and the objects they carry as they walk through the portal.

10 The foregoing merely illustrates the principles of the present invention. Those skilled in the art will be able to devise various modifications, which although not explicitly described or shown herein, embody the principles of the invention and are thus within its spirit and scope.


WHAT IS CLAIMED IS:

3 1. An integrated walk-through system for
4 detecting concealed or suspicious objects comprising:
5 a portal in which a person may walk through
6 without interruption;
7 means responsive to a person's entry into
8 said portal for generating a trigger signal to start a
9 detection process;
10 one or more of a dielectric scanner device,
11 an x-ray scanner device, a metal detector device, a
12 millimeter wave camera device, and vapor collection
13 and analysis device, or a combination thereof, for
14 performing respective detection processes in response
15 to receipt of said trigger signal, each said
16 dielectric scanner device, x-ray scanner device, metal
17 detector device, millimeter wave camera device, and
18 vapor collection and analysis device generating
19 corresponding output signals; and,
20 means for receiving said output signals from
21 each said dielectric scanner device, an x-ray scanner
22 device, a metal detector device, a millimeter wave
23 camera device, and vapor collection and analysis
24 device and generating a signal indicating detection of
25 a target object carried by said person.

1 2. A method for detecting concealed or
2 suspicious objects comprising:
3 enabling entry of a person through a walk-
4 through portal apparatus having one or more of a
5 dielectric scanner device, an x-ray scanner device, a
6 metal detector device, a millimeter wave camera
7 device, and vapor collection and analysis device, or a

8 combination thereof, for performing respective
9 detection processes;
10 generating a trigger signal to start each
11 respective detection process;
12 receiving said output signals from each said
13 dielectric scanner device, an x-ray scanner device, a
14 metal detector device, a millimeter wave camera
15 device, and vapor collection and analysis device; and,
16 generating a signal indicating detection of
17 a target object carried by said person.

FIG. 1



INTERNATIONAL SEARCH REPORT

International application No.
PCT/US98/22272

A. CLASSIFICATION OF SUBJECT MATTER IPC(6) : G08B 23/00 US CL : 340/573.1 According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) U.S. : 340/573.1, 572.1, 541, 551-567, 632; 73/23.36, 863; 378/57 Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) APS		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X,P	US 5,760,314 A (BROMBERG et al) 02 June 1998, Abstract and Figure 23.	1-2
Y,P \	US 5,692,028 A (GEUS et al) 25 November 1997, the whole document.	1-2
Y	US 5,227,800 A (HUGUENIN et al) 13 July 1993, the whole document.	1-2
Y \	US 4,987,767 A (CORRIGAN et al) 29 January 1991, the whole document.	1-2
<input type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.		
* Special categories of cited documents: *A* document defining the general state of the art which is not considered to be of particular relevance *E* earlier document published on or after the international filing date *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) *O* document referring to an oral disclosure, use, exhibition or other means *P* document published prior to the international filing date but later than the priority date claimed *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art *A* document member of the same patent family		
Date of the actual completion of the international search 18 JANUARY 1999		Date of mailing of the international search report 26 FEB 1999
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231 Facsimile No. (703) 305-3230		Authorized officer SIHONG HUANG Telephone No. (703) 305-4700